

125th MAINE LEGISLATURE

FIRST REGULAR SESSION-2011

Legislative Document

No. 442

H.P. 335

House of Representatives, February 10, 2011

An Act To Allow Year-round Placement of Cobble-trapping Fences behind Established Seawalls

Reference to the Committee on Environment and Natural Resources suggested and ordered printed.

fleth & Puit

HEATHER J.R. PRIEST Clerk

Presented by Representative CHASE of Wells. Cosponsored by Senator COLLINS of York and Representatives: AYOTTE of Caswell, BENNETT of Kennebunk, CEBRA of Naples, GILLWAY of Searsport, McKANE of Newcastle, VALENTINO of Saco, Senators: HOBBINS of York, SHERMAN of Aroostook.

Printed on recycled paper

| 1 | Be it enacted by the People of the State of Maine as follows: |
|----------------------|--|
| 2 | Sec. 1. 38 MRSA §480-II is enacted to read: |
| 3 | §480-II. Cobble-trapping fence in a coastal sand dune system |
| 4 5 | This section applies to the placement of a cobble-trapping fence in a coastal sand dune system. |
| 6 7 | 1. Definitions. As used in this section, the following terms have the following meanings. |
| 8 | A. "Cobble" means a rock that is smaller than a boulder and larger than gravel. |
| 9 10 | B. "Cobble-trapping fence" means a fence that is designed to prevent cobbles from passing through it. |
| 11 12 13 14 | 2. Permit. Notwithstanding anything to the contrary in this article, the department may issue a permit to an owner of property in a coastal sand dune system to construct, repair or replace a year-round cobble-trapping fence landward of an existing seawall in a developed area if: |
| 15 16 17 | A. The property is adjacent to a beach with gravel and cobble sediment and has a developed area, such as a lawn, between a building on the property and the beach; and |
| 18 | B. The fence: |
| 19 | (1) Is not located on a naturally vegetated frontal dune; |
| 20 21 | (2) Is located seaward of the foundation of a building on the property and is no more than 15 feet in front of the building; |
| 22 | (3) On either side, does not extend more than 2 feet beyond the foundation of a |
| 23 | building on the property; |
| 24 | (4) Does not consist of more than one row of fencing; |
| 25 | (5) Does not have openings smaller than 2 inches square; |
| 26 | (6) Is not higher than 4 feet above grade; and |
| 27 | (7) Is not supported by a permanent, continuous footing. |
| 28 29 30 | A cobble-trapping fence may be supported by permanent, small subsurface pipes or similar emplacements. Cobbles and sediment trapped by a cobble-trapping fence may be removed and placed immediately seaward of a frontal dune or seawall on the property. |
| 31 | SUMMARY |
| 32 33 | This bill authorizes the use of cobble-trapping fences on a year-round basis and sets conditions on their use. |