Bureau of Motor Vehicles Proposed Amendment to LD 205

From: Canelli, Dorothy <Dorothy.Canelli@maine.gov>

Sent: Tuesday, January 26, 2021 4:52 PM **To:** Luchini, Louis; Luchini, RepLouis (FWD)

Subject: FW: Suggestion for LD 205

This message originates from outside the Maine Legislature.

Hello Senator Luchini,

The Department of the Secretary of State tracks legislation which may have an effect on its bureaus or divisions after becoming law.

Today, we discussed LD 205, An Act To Extend the Ability of Restaurants and Bars to Serve Alcohol To Go.

Secretary Bellows asked that I forward this suggested language to you which was offered by Lynne Gardner, Director of Legal Affairs at BMV regarding open alcoholic beverage containers. Please see the Lynne's email below.

The department does not wish to testify, we only want you to have this suggested language.

I hope all is well with you and wish you the best with the Legislative Session.

Dottie

Dorothy A. Canellí

Chief Deputy Secretary of State Office of the Secretary of State Nash School 148 State House Station Augusta, ME 04333-0148

Cell: 207-485-8986 Tele: 207-626-8401 Fax: 207-287-8598

TTY users call Maine Relay 711 email : dorothy.canelli@maine.gov

webpage: http://www.maine.gov/sos

From: Gardner, Lynne < Lynne.Gardner@maine.gov >

Sent: Tuesday, January 26, 2021 11:05 AM

To: Bellows, Shenna <Shenna.Bellows@maine.gov>

Bureau of Motor Vehicles Proposed Amendment to LD 205

Cc: Cook, Emily < Emily.Cook@maine.gov">Emily.Cook@maine.gov ; Morneault, Patty < Patty.Morneault@maine.gov > Subject: Suggestion for LD 205
Greetings,
I suggest the following additional language in Section 1 of LD 205:
§1056(1)(B):
(4) An approved container under this section is/is not an "open alcoholic beverage container" under Title 29-A section 2112-A.
Lynne

Lynne A. Gardner, Esq.
Director of Legal Affairs, Adjudications & Hearings
Bureau of Motor Vehicles
101 Hospital Street, 29 State House Station
Augusta, Maine 04333-0029
Ph (207) 624-9000 ext. 52113; Fax (207) 624-9113