

STATE OF MAINE

—  
IN THE YEAR OF OUR LORD  
TWO THOUSAND TWENTY-ONE

—  
H.P. 363 - L.D. 500

**Resolve, Regarding Legislative Review of Portions of Chapter 895:  
Underground Facility Damage Prevention Requirements, a Major  
Substantive Rule of the Public Utilities Commission**

**Emergency preamble.** Whereas, acts and resolves of the Legislature do not become effective until 90 days after adjournment unless enacted as emergencies; and

**Whereas**, the Maine Revised Statutes, Title 5, chapter 375, subchapter 2-A requires legislative authorization before major substantive agency rules may be finally adopted by the agency; and

**Whereas**, a major substantive rule has been submitted to the Legislature for review; and

**Whereas**, immediate enactment of this resolve is necessary to record the Legislature's position on final adoption of the rule; and

**Whereas**, in the judgment of the Legislature, these facts create an emergency within the meaning of the Constitution of Maine and require the following legislation as immediately necessary for the preservation of the public peace, health and safety; now, therefore, be it

**Sec. 1. Adoption. Resolved:** That final adoption of portions of Chapter 895: Underground Facility Damage Prevention Requirements, a provisionally adopted major substantive rule of the Public Utilities Commission that has been submitted to the Legislature for review pursuant to the Maine Revised Statutes, Title 5, chapter 375, subchapter 2-A, is authorized only if the following change is made:

1. The rule must be amended in section 4(D)(2) to clarify that a damage prevention incident may be reported by an excavator to the Public Utilities Commission via e-mail.

The Public Utilities Commission is not required to hold hearings or undertake further proceedings prior to final adoption of the rule in accordance with this section.

**Emergency clause.** In view of the emergency cited in the preamble, this legislation takes effect when approved.