

Richard A. Bennett  
Senator, District 18



3 State House Station  
Augusta, Maine 04333

THE MAINE SENATE  
131st Legislature

**Testimony of Senator Richard A. Bennett**  
**LD 75, An Act to Establish Maximum Contaminant Levels Under the State's Drinking**  
**Water Rules to Prohibit Certain Perfluoroalkyl and Polyfluoroalkyl Substances**  
**28 April 2023**

Senator Baldacci, Representative Meyer and members of the Committee on Health and Human Services, I am Senator Rick Bennett of Oxford, and I have the honor of serving 14 communities in Western Maine in the State Senate. I am pleased to sponsor LD 75, "An Act to Establish Maximum Contaminant Levels Under the State's Drinking Water Rules to Prohibit Certain Perfluoroalkyl and Polyfluoroalkyl Substances."

I believe everyone on this committee is aware how passionate I am about this issue. The health of Maine people, and our environment has been the focus of much of my legislative work.

Maine's current PFAS standard is 20 parts per trillion (PPT). LD 75 would change that to zero nanograms per liter. It is important to note the Environmental Protection Agency is currently considering a proposed rule on this very topic. A hearing will be held on the proposed rule on May 4<sup>th</sup> and comments must be received by May 30<sup>th</sup>.

By now, everyone is well aware of the dangers of PFAS. Two types of PFAS, PFOA and PFOS are likely to cause kidney and liver cancer. This is why the EPA is proposing to set the health-based value, the Maximum Contaminant Level, for both of these contaminants 4.0 parts per trillion. Anything less than 4.0 parts per trillion is unenforceable.

I expect Maine would adopt the national standard, which is the purpose of this bill. Therefore, I suggest the Committee carry over this bill in order to get direction from the Federal government.

Thank you. I would be happy to answer any questions.